



SUN-100 Machine Tool Use

Chip/Sludge Removal Machine



LUOYANG XINCHENG PRECISION MACHINERY CO.,LTD.

Demo Video: https://www.youtube.com/watch?v=ZyBeMPGsiR4

Introduction

During the use of CNC machine tools, various metal scraps, powders, sludge, etc., will gradually accumulate in the cutting fluid pool. If it is not cleaned for a long time, the volume of the cutting fluid pool will become smaller, and the cutting fluid will not get cyclic utilization during the processing. If larger impurities are drawn into the pump, it will cause blockage of the pipeline, which will affect the cooling and lubrication of the parts during processing. In severe cases, the pump and parts will be scrapped.

The SUN-100 machine tool use chip/sludge removal machine independently developed by our company is suitable for the cleaning of water tanks of various machining centers, CNC machine tools and engineering equipment. It can quickly and easily clean the metal debris, sludge and other impurities in the water tank to make the cutting fluid fully recycled, saving time and cost comparing with manual cleaning.

This machine can be used together with our company's independent product SUN-01 to separate the floating oil on the surface of the cutting fluid, greatly extends the service life of the cutting fluid. Not only reduce the processing cost, but also improve the working environment and guarantee staff health.



Features



- No Need to Stop
 the Machine Tool
- Plug-in Free (Pneumatic Power)
- Easy To Move
 Multi machine sharing







- Buffer Design
 Reduce outlet pipe vibration
- Patent Pressure Relief Device
 Automatic pressure relief after
 over-pressure
 Patent No.20190264162.4


Switch and Meter are
Set in Front
Easy to operate

Large Filter Drum Capacity
The drum is made of 304
stainless steel, rustproof
and durable









- Wider Application Scope
 Can clean all kinds of metals,
 non-metals, sludge, etc
- Large Flowing Rate
 100L/min flow rate, quick
 cleaning

Product



CLD-100 FAST FILTRATION

Say Goodbye to Traditional Cleaning Method





★ Equipped with air gun, easier to clean! Simple Operation!

Apply to Various Machine Tool





















Sucking and filtering

Application Scope



- ★ Applicable to the cleaning of metal, non-metal scraps, sludge, etc. in the coolant tank of the machine tool;
- ★ Can be used as a water pump for water, water-based cutting fluid, water-based liquid, non-volatile oily liquid to perform extraction operation.
- ★ This product is not suitable for corrosive liquids such as strong acids, alkalis and organic solutions.

Technical Parameters



Item	Parameter		
Model	SUN-100		
Power Source	Pneumatic		
Air Pressure Range	0.4-0.7 MPa		
Pipe Diameter	10mm		
Air Consumption	1-1.7m3/min		
Max. Suction Distance	5m		
Max. Flow Rate	100L/min		
Filter Storage Capacity	9L		
Filter Mesh Standard	0.4mm, 1mm optional		
Max. Particle Dia.	10mm		
Viscosity Range	≤ 3000 cP (25°C)		
Operating Temperature	0°C60°C		
Overall Dimension	800*450*960mm		
N.W	67±1Kg		

Packing List



Packing List for SUN-100 Chip/Sludge Removal Machine

T0915Z

	J0915.						
Item	Name	Specification	Unit	No.	Remark		
1	Machine	SUN-100	Set	1			
2	Handgrip		Рс	1			
3	Filter Drum	Bore Dia. 0.4mm or 1.0mm	Рс	1	Optional One		
4	Air Pipe	Ф10	Meter	5			
5	Spring Pipe	Ф10	Set	1			
6	Brush		Рс	1			
7	Rubber Glove		Pair	1			
8	Seals	Ф47*6.5+Ф46*1	Set	2	Spare seals of inlet/ outlet quick plug		
9	Stainless Steel inlet/outlet Pipe	Ф32*800+Ф32*900	Set	1			
10	Steel Hose Set	Steel Hose +Quick Plug + Clamp	Set	2			
11	Таре		Рс	1	After connecting stainless steel inlet/outlet pipes and steel hoses with clamps, wrap the joint with adhesive tape.		
12	Manual		Рс	1			
13	Certificate		Рс	1			
14	Screwdriver		Рс	1	Mounting Kit		
15	6mm Hexagonal Spanner		Рс	1	Mounting Kit		

After-sales Commitment





The warranty is one year. Within this period, we will provide free maintenance or send necessary spare parts if any technical problem happens.



★ Tapremover@lyxc.com

www.brokentapremover.com

